
Magnetic Behavior in Nanoscale Magnetic Heterostructures, DMR 0200254 Roy F. Willis (PI), Department of Physics, Pennsylvania State University.


Magnetic behavior is a collective phenomena involving spin fluctutations that extend over a wide length scale. The spin-spin correlation length is a fundamental quantity that determines how the magnetic order decays to zero with increasing temperature. Plotting this ordering temperature Tc as a function of the thickness of thin films reveals a dependence on this intrinsic range of spin-spin interactions, Ro, Figure 1. [R. Zhang & R.F. Willis, Phys. Rev. Letters <u>86</u> 2665, 2001]

Spin-based electronic devices ('spintronics') involve a similar magnetic coupling between thin-film magnets in nanoscale heterostructures ('spin valves'). The strength of this coupling depends on the range of the spin interactions Ro, which can be 'tuned' by alloying the various magnetic elements (see figure).



Magnetic Behavior in Nanoscale Magnetic Heterostructures, DMR 0200254 Roy F. Willis (PI), Department of Physics, Pennsylvania State University.

- Personnel
 Dr. Ted Kreutz (PDRA)
 Tim Bramfeld (Ph.D. Grad. Student)
 Ken Podolak (Ph.D. Grad. Student)
- Collaborators
 Prof. Franz Himpsel (Univ. Wisconsin)
 Prof. Gary Mankey (Univ. Alabama)
- Outreach
 NSF-REU Summer Program
 Materials Research Institute for interdisciplinary science at Penn State
- National Synchrotron Radiation
 Source Facilities, ALS Berkeley & SRC Wisconsin
- New Graduate Physics course on "Spintronics" initiated Spring 2004



Magnetic heterostructures employed as valves to switch on/off spin currents in new spinbased digital electronic devices ('spintronics')